



## WHEEL LOADER AND RUBBER TIRE LOADER BACKHOE

### STANDARD OEM SERIES QUICK COUPLER SYSTEMS

OEM SERIES AVAILABLE
ACS 1000-PRO 2000
CASE 580/590 FFC
CAT IT12-IT28
CAT IT35
JOHN DEERE HI-VIS
JOHN DEERE WORK-PRO
JRB - 416
JRB - 418
JRB - 420
JRB - 422
JRB - 84
JRB "E" SERIES (Deere)
JRB 580 SERIES
KOMATSU COMPACT
VOLVO L150-L220
VOLVO L50-L120



OTHER NON-LISTED  
QUICK-COUPLER SYSTEMS AVAILABLE



ALL QUICK COUPLERS INCLUDE O.E.M. INTERFACE HYDRAULIC INSTALLATION KIT

### SPECIALTY QUICK COUPLER SYSTEMS

PATENT 9,121,162

**TAGHYDRA™ MULTI-COUPLER**


PICKS-UP CATERPILLAR IT12-28, JRB 416 and VOLVO L50 - L120 / JD HI-VIS ATTACHMENTS



RECOMMENDED FOR VOLVO L50 - L120 WITH ISO  
COUPLERS & L150 - L180 COUPLERS APPLICATIONS

ALSO FOR DEERE HI-VIS DUTY-CYCLE APPLICATIONS  
IN FORESTRY & RECYCLING, ETC.


**TAG XTREME-DUTY™**



Standard Full Debris Cover Not Shown


TAG EXTREME-DUTY TWIN-CYLINDER QUICK-COUPLER  
<<<< DESIGNED FOR DEMANDING APPLICATIONS >>>>

## **WHEEL LOADER GENERAL PURPOSE BUCKET**




- BUCKETS ARE DRILLED TO ACCEPT O.E.M. BOCE & REAR WEAR PLATES
- BUCKETS AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS

## WHEEL LOADER XTENDED PERFORMANCE BUCKET




- BUCKETS ARE DRILLED TO ACCEPT O.E.M. BOCE & REAR WEAR PLATES
- BUCKETS AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS

ADD WELD-IN (2) BOLT CNC MACHINED CORNERS WITH CAST ALLOY CORNER GUARDS




## WHEEL LOADER ULTRA-LIGHT WEIGHT WOOD CHIP BUCKET




- BUCKETS ARE RATED FOR MATERIAL UP TO 1,000 LBS PER CUBIC YARD
- BUCKETS ARE DRILLED TO ACCEPT O.E.M. BOCE & REAR WEAR PLATES
- OPTIONAL SPILL PLATE CONFIGURATIONS , SOLID, FULL, OR PARTIAL " SCREEN " OPENINGS
- BUCKETS AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS

## WHEEL LOADER LIGHT MATERIAL BUCKET




- BUCKETS ARE RATED FOR MATERIAL UP TO 1,800 LBS PER CUBIC YARD
- BUCKETS ARE DRILLED TO ACCEPT O.E.M. BOCE & REAR WEAR PLATES
- BUCKETS AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS

## RUBBER TIRE LOADER BACKHOES LIGHT MATERIAL & GENERAL PURPOSE BUCKETS



- BUCKETS DRILLED TO ACCEPT O.E.M. WEAR PARTS
- BUCKETS AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS (BUCKET SHOWN IS DIRECT PIN-ON CONFIGURATION)
- LIGHT MATERIAL BUCKETS CAN CARRY UP TO 1,800LBS PER CU YD


## CRAWLER LOADER GENERAL PURPOSE BUCKET



- BUCKETS AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS (BUCKET SHOWN IS WITH PIN-ON CONFIGURATION)
- BUCKETS DRILLED TO ACCEPT O.E.M. WEAR PARTS
- BUCKETS AVAILABLE WITH BOLT-ON TEETH AND/OR SEGMENTS

## **WHEEL LOADER**

### **HEAVY DUTY STRAIGHT LIP / SPADE LIP ROCK BUCKET**



**OPTIONAL SUPER EXTREME-DUTY  
SXD MINING BUCKETS**




**SPECIAL OPTIONS  
LARGER G.E.T. COMPONENTS  
WELD-IN BUCKET LINERS  
TIRE ' KICKERS '**

- BUCKETS AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS
- BUCKETS AVAILABLE IN EITHER STRAIGHT EDGE OR SPADE-NOSE DESIGN (BUCKET SHOWN IS WITH SPADE EDGE CONFIGURATION)
- BUCKETS WITH STRAIGHT EDGES DRILLED TO ACCEPT O.E.M. WEAR PARTS
- BUCKETS CAPABLE OF BEING DESIGNED AND BUILT PER CUSTOMER PREFERENCE




## WHEEL LOADER GRAPPLE BUCKET




- AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS
- DRILLED TO ACCEPT O.E.M. WEAR PARTS
- EQUIPPED WITH DUAL OPEN CLAMPS - SPECIAL CLAMP DESIGNS AVAILABLE UPON REQUEST
- **AVAILABLE WITH FULL, HALF, OR CUT-AWAY SIDE PLATES - SPECIFY AT TIME OF ORDER**
- ENCLOSED CLAMP DESIGN - SPECIFY EXPANDED METAL OR SOLID PLATING STYLE

## WHEEL LOADER HD RECYCLING GRAPPLE BUCKET





- AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS
- DRILLED TO ACCEPT O.E.M. WEAR PARTS, OR OPTIONAL COST BOLT-ON RUBBER EDGES
- EQUIPPED WITH DUAL HEAVY-DUTY LADDER STYLE RECYCLING CLAMPS
- AVAILABLE WITH FULL, HALF, OR CUT-AWAY SIDE PLATES - SPECIFY AT TIME OF ORDER

## WHEEL LOADER MULTI-PURPOSE (4:1) BUCKET




- BUCKETS AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS
- BUCKETS EQUIPPED WITH 3-PIECE BOLT-ON REVERSIBLE MOLDBOARD EDGE
- BUCKETS DRILLED TO ACCEPT O.E.M. WEAR PARTS
- 3rd FUNCTION LOADER HYDRAULICS AND JUMP HOSES REQUIRED

## WHEEL LOADER TRASH BUCKET




LOADING STYLE (TRL)



PUSHING STYLE (TRP)

- BUCKETS AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS
- BUCKETS DRILLED TO ACCEPT O.E.M. BOCE


## WHEEL LOADER SKELETON ROCK BUCKET



- FOR SEVERE DUTY APPLICATIONS
- CONSTRUCTED OF HIGH-STRENGTH, ABRASION-RESISTANT STEEL
- BUCKETS AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS
- BUCKETS DRILLED TO ACCEPT O.E.M. WEAR PARTS
- RIB SPACING CAN BE ADJUSTED FOR JOB REQUIREMENTS




## WHEEL LOADER HIGH TIP ROLL-OUT BUCKET



- DESIGNED FOR MATERIAL WEIGHT UP TO 1,400# / CUBIC YARD
- BUCKETS AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS
- BUCKETS EQUIPPED WITH BOLT-ON REVERSIBLE EDGE & WEAR PADS STANDARD
- 3rd FUNCTION LOADER HYDRAULICS AND JUMP HOSES REQUIRED


## WHEEL LOADER SIDE DUMP BUCKET



- BUCKETS AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS
- BUCKETS EQUIPPED WITH BOLT-ON REVERSIBLE EDGE & LIFT HOOK STANDARD
- BUCKETS DUMP TO LEFT STANDARD, RIGHT HAND DUMP AVAILABLE
- BUCKET CHUTE DUMPS AT A 45° ANGLE
- 3rd FUNCTION LOADER HYDRAULICS AND JUMP HOSES REQUIRED



## WHEEL LOADER CONSTRUCTION FORKS, MANUAL ADJUSTABLE



- AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS
- TINE SIZES AND CARRIAGE WIDTHS OTHER THAN SHOWN AVAILABLE UPON REQUEST





## WHEEL LOADER CONSTRUCTION FORKS, HYDRAULIC ADJUSTABLE




- AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER
- TINE SIZES AND CARRIAGE WIDTHS OTHER THAN SHOWN AVAILABLE UPON REQUEST
- 3rd FUNCTION LOADER HYDRAULICS AND JUMPER HOSES REQUIRED


## WHEEL LOADER LOG & LUMBER FORKS

- STANDARD FIXED HANGER RODS OR OPTIONAL COST OSCILLATION TINES ( LFO CODE )
- AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS


**NON-OSCILLATING** WITH LONG RODS FOR CENTER POSITIONING OF TINES, INCLUDES SPLIT-COLLAR TINE LOCKING COLLARS




**NON-OSCILLATING** WITH SHORT RODS DESIGNED TO KEEP TINES ALWAYS OUTBOARD



**5.00" OSCILLATING** WITH LONG RODS FOR CENTER POSITIONING OF TINES, INCLUDES SPLIT-COLLAR TINE LOCKING COLLARS  
**NOTE:** LONG RODS MAY TEND TO " COCK SIDEWAYS " AND BIND DURING OSCILLATION




**5.00" OSCILLATING** WITH SHORT RODS DESIGNED TO KEEP TINES ALWAYS OUTBOARD  
**OPTIMUM " ELEVATOR - STYLE " DESIGN WITH VERTICAL SIDES HOLDING TINES IN ALIGNMENT FOR UNOBSTRUCTED OSCILLATION**




## WHEEL LOADER LOG & LUMBER FORKS WITH PADDLE TOP CLAMP

Massive Laminated  
(2) Plate Top Clamp  
With Extra Gussets  
& Reinforcements

Preferred Narrow  
Hanger Rods Keeps  
Tines Outboard




Bottom of Tines @ MAX Up Position Are 0.75" Below  
the Carriage For Clear Trailer Loading




- STANDARD FIXED HANGER RODS, OR OPTIONAL COST 5.00" OSCILLATING TINES
- AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS
- 3rd FUNCTION LOADER HYDRAULICS AND JUMPER HOSES REQUIRED
- SELECT CARRIAGE / HANGER ROD DESIGN (A), (B), (C), OR (D) CONFIGURATION

## WHEEL LOADER LOG & LUMBER FORKS WITH SINGLE OR DOUBLE INDEPENDENT CLAMPS




- STANDARD FIXED HANGER RODS, OR OPTIONAL COST 5.00" OSCILLATION TINES
- AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS
- 3rd FUNCTION LOADER HYDRAULICS AND JUMPER HOSES REQUIRED
- SELECT CARRIAGE / HANGER ROD DESIGN (A), (B), (C), OR (D) CONFIGURATION

## WHEEL LOADER MILL YARD FORKS



- BOXED TINES FABRICATED FROM HIGH STRENGTH T-1 ALLOY STEEL
- AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS
- LOADER AUXILIARY HYDRAULIC CIRCUIT REQUIRED (3rd SPOOL)
- OPTIONAL BOTTOM WEAR STRIPS

## WHEEL LOADER SORTING GRAPPLE






- BOXED TINES FABRICATED FROM HIGH STRENGTH T-1 ALLOY STEEL
- ADJUSTABLE CROSS-OVER RELIEF VALVE TO PROTECT THE CYLINDERS
- AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS
- LOADER AUXILIARY HYDRAULIC CIRCUIT REQUIRED (3rd SPOOL)
- STANDARD BOTTOM WEAR STRIPS
- LOADER AUXILIARY HYDRAULIC CIRCUIT REQUIRED (3rd SPOOL)



# WHEEL LOADER PIPE GRAPPLE FORKS


\*REQUIRES 3RD VALVE FUNCTION\*



AVAILABLE OPTIONAL NO CHARGE " OVER-BITE " CONFIGURATION  
 <<<< SPECIFY WHEN ORDERING :

- DESIGNED SPECIFICALLY FOR PIPE HANDLING
- HIGH STRENGTH STEEL CONSTRUCTION
- SINGLE CLAMP DESIGN WITH INDEPEDANT HOLD DOWNS
- AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS

## WHEEL LOADER CARBODY FORKS




- TINES FABRICATED FROM HIGH STRENGTH T-1 ALLOY STEEL
- AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS  
(FORK SHOWN WITH QUICK COUPLER ADAPTERS)




## WHEEL LOADER "ITA" STYLE PALLET FORKS

TOP RAIL HAS NOTCHES TO POSITION FORKS




- ECONOMICAL OPTION
- STANDARD QUICK COUPLER CONFIGURED, DIRECT PIN ON AVAILABLE
- OPTIONAL TOP GUARD / RACK AT EXTRA COST

## WHEEL LOADER BUCKET FORK KIT




- TURN YOUR LOADER BUCKET INTO FORKS WITH A SHAFT MOUNTED CONVERSION KIT
- TAG MFG. BUCKETS CAN BE ORDERED WITH THE KIT ALREADY INSTALLED

## WHEEL LOADER RAKE, STANDARD & STACKING



- HIGH STRENGTH, ANTI-ABRASIVE STEEL CONSTRUCTION
- RAKES AVAILABLE IN VARIOUS WIDTHS AND SIZE TO MATCH BASE MACHINE
- RAKES AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS


## WHEEL LOADER RAKE, STANDARD & STACKING WITH SINGLE TOP CLAMPS AND PADDLE CLAMP



- HIGH STRENGTH, ABRASIVE RESISTANT STEEL CONSTRUCTION
- HD ENCLOSED PROTECTED CYLINDERS
- RAKES AVAILABLE IN VARIOUS WIDTHS ( SKIDDER TIRE )
- AVAILABLE IN DIRECT PIN-ON OR WITH QUICK-COUPLER
- 3rd FUNCTION LOADER HYDRAULICS AND JUMPER HOSES REQUIRED


## WHEEL LOADER BIO MASS RAKE

**Bio-Mass**  
**Rake™**



- HIGH STRENGTH, ANTI-ABRASIVE STEEL CONSTRUCTION
- HD CYLINDERS WITH FULL MECHANICAL STOPS
- RAKES AVAILABLE IN VARIOUS WIDTHS ( SKIDDER TIRE )
- AVAILABLE IN DIRECT PIN-ON OR WITH QUICK-COUPLER
- 3rd FUNCTION LOADER HYDRAULICS AND JUMPER HOSES REQUIRED

## WHEEL LOADER BOOM FIXED AND EXTENDABLE



- HIGH STRENGTH RECTANGULAR TUBULAR STEEL CONSTRUCTION
- IDEAL FOR LIFTING AND POSITIONING MATERIAL IN LONG REACH APPLICATIONS
- BOOMS AVAILABLE IN FIXED LENGTHS (FB) OR MANUALLY EXTENDABLE (EB)
- BOOMS AVAILABLE IN DIRECT PIN-ON OR WITH QUICK COUPLER ADAPTERS