Tilting Ditch Bucket



RUBBER TIRE BACKHOE, EXCAVATOR, MINI-EXCAVATOR

DESCRIPTION

Tilting Ditch Buckets offer a durable solution for ditch cleaning and shaping applications. Heavy-duty, durable, ditch cleaning design with automated tilt control, compatibility to a wide range of excavator and mini-excavator manufacturers. Engineered for moderate to high-impact digging, grading, cleaning, and smoothing.

ATTACHMENT FEATURES

Heavy-duty, durable, ditch cleaning design with automated tilt control, compatibility to a wide range of excavator and mini-excavator manufacturers. Engineered for moderate to high-impact digging, grading, cleaning, and smoothing.


- **Automated Tilt Control** – dual hydraulic cylinders provide smooth controlled movement, tilting right and left up to 45°, 90° total oscillation.
- **Reversible Cutting Edge –** standard with reversible cutting edge drilled on 6.00° centers**.**
- **Dual Hydraulic Cylinders** – provide smooth controlled movement for accurate grading and finishing.
- **Designed to Efficiency** – grading, ditching, and shaping complex areas faster and easier.


[Contact TAG for custom bucket requests.]

BUCKET OPTIONS INCLUDE:

- Double beveled, reversible bolt-on cutting edges (standard smooth lip design)
- Excavator machine sizes from 6,000 to 45,000 lb. capacity
- Bucket widths from 30” to 72”, bucket capacities from 0.18 to 1.41 yd^3
- Coupler Styles: Pin-on









WARRANTY

Our work doesn’t end at the weld. It lasts a full year longer. TAG Manufacturing, Inc. warrants its new product(s) to be free from defects in material and workmanship for a period of one(1) year from the date of original purchase.

USA MADE IN TENNESSEE · RELIABLE BUILT IN WARRANTY · WE BUILD FOR ALL MAKES

Tilting Ditch Bucket



RUBBER TIRE BACKHOE, EXCAVATOR, MINI-EXCAVATOR

EXCAVATOR COMPATIBILITY

EXCAVATOR		BUCKET				
TYPE	CAPACITY (LBS)	WIDTHS (IN)	CAPACITY (CU YDS)	PIN-ON	QC QUICK-COUPLER	WEDGE-LOCK OEM STYLE
MINI EXCAVATOR	6,000 - 10,000	30 - 36"	0.18 - 0.22	x		
	10,000 - 14,000	42 - 48"	0.26 - 0.30	x		
EXCAVATOR	14,000 - 20,000	42 - 54"	0.33 - 0.43	x		
	20,000 - 33,000	48 - 60"	0.70 - 0.86	x		
	33,000 - 45,000	60 - 72"	1.16 - 1.41	x		

SPECIFICATIONS

MACHINE SIZE (LBS)	CLASS	PART #	WIDTH (IN)	BUCKET CAPACITY (CU YD)	WEIGHT (LBS)
6,000 - 10,000	5	3005TTB	30	0.18	428
		3605TTB	36	0.22	487
10,000 - 14,000	25	4204TTB	42	0.26	536
		4805TTB	48	0.30	585
14,000 - 20,000	49 / 55	4225TTB	42	0.33	758
		4825TTB	48	0.38	792
		5425TTB	54	0.43	863
20,000 - 33,000	100 / 120	4849TTB	48	0.70	1,104
		6049TTB	60	0.86	1,446
33,000 - 45,000	150 / 200	60100TTB	60	1.16	2,350
		72100TTB	72	1.41	2,455

WARRANTY

Our work doesn't end at the weld. It lasts a full year longer. TAG Manufacturing, Inc. warrants its new product(s) to be free from defects in material and workmanship for a period of one(1) year from the date of original purchase.

USA MADE IN TENNESSEE

RELIABLE BUILT IN WARRANTY


WE BUILD FOR ALL MAKES


Tilting Ditch Bucket



RUBBER TIRE BACKHOE, EXCAVATOR, MINI-EXCAVATOR

SPECIFICATIONS





LEGEND

1) 45°LH - 45°RH Rotation.
2) Standard with reversible cutting edge drilled on 6.00° centers.
3) Dual hydraulic cylinders provide smooth controlled movement for accurate grading and finishing.
4) Designed to make grading, ditching, and shaping complex areas faster and easier.

WARRANTY

Our work doesn't end at the weld. It lasts a full year longer. TAG Manufacturing, Inc. warrants its new product(s) to be free from defects in material and workmanship for a period of one(1) year from the date of original purchase.

USA MADE IN TENNESSEE · RELIABLE BUILT IN WARRANTY · WE BUILD FOR ALL MAKES

Tilting Ditch Bucket



LIMITED WARRANTY AND PROCEDURES

TAG Manufacturing, Inc. warrants its new product(s) to be free from defects in material and workmanship for a period of one(1) year from the date of original purchase.

THIS WARRANTY IS SUBJECT TO THE FOLLOWING CONDITIONS AND LIMITATIONS:

1. All warranty claims must be approved in writing by TAG or by an authorized TAG representative inspecting the attachment prior to any repairs. Digital photographs showing the reason for the claim must document all warranty claims and should be submitted to TAG.
2. The liability of TAG is limited to the repair or replacement of any part found to be defective.
3. TAG will bear no responsibility or liability for any product(s) which have been mishandled, abused, misapplied, misused, field modified by unauthorized personnel, or which have altered or missing serial numbers. Nor does this warranty apply to normal wear to any product(s) sold.
4. TAG will not be responsible for the loss of productivity, mileage cost, or down time incurred by the dealer or contractor as a result of any defect in materials or workmanship of its product(s).
5. This states the exclusive remedy against TAG relating to the product(s), whether in contract or in tort or under any other legal theory, and whether arising out of warranties, representations instructions, installations or defects from any cause. TAG shall not be liable, under any legal theory, for loss of use, revenue or profit, or for substitute use or performance, or for incidental, indirect, or special or consequential damages or for any other loss of cost of similar type.
6. THIS WARRANTY AND THE LIABILITIES SET FORTH HEREIN ARE EXCLUSIVE AND IN LIEU OF ALL OF THEIR LIABILITIES AND WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, IMPLIED WARRANTIES OR MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND CONSTITUTES THE ONLY WARRANTY OF TAG WITH RESPECT TO THE PRODUCT(S).

WARRANTY

Our work doesn't end at the weld. It lasts a full year longer. TAG Manufacturing, Inc. warrants its new product(s) to be free from defects in material and workmanship for a period of one(1) year from the date of original purchase.

USA MADE IN TENNESSEE

RELIABLE BUILT IN WARRANTY

WE BUILD FOR ALL MAKES